Available online at www.sciencedirect.com
SCIENCE DIRECT®
Sedimentary Geology 167 (2004) 357–358
Sedimentary Geology
www.elsevier.com/locate/sedgeo

Author Index Volume 167 (2004)

Adabi, M.H., see Amini, Z.Z. 167 (2004) 1
Alonso-Zarza, A.M. and C. Arenas, Cenozoic calcretes from the Teruel Graben, Spain: microstructure, stable isotope geochemistry and environmental significance 167 (2004) 91
Amini, Z.Z., M.H. Adabi, C.F. Burrett and P.G. Quilty, Bryozoan distribution and growth form associations as a tool in environmental interpretation, Tasmania, Australia 167 (2004) 1
André, J.-P., J.-P.S. Martin, P. Moissette, F. Garcia, J.-J. Cornée and M. Ferrandini, An unusual Messinian succession in the Sinis Peninsula, western Sardinia, Italy 167 (2004) 41
Arenas, C., see Alonso-Zarza, A.M. 167 (2004) 91

Bradshaw, J.D., see Wandres, A.M. 167 (2004) 57
Burrett, C.F., see Amini, Z.Z. 167 (2004) 1

Chure, D.J., see Engelmann, G.F. 167 (2004) 297
Cornée, J.-J., see André, J.-P. 167 (2004) 41
Currie, B.S., see Demko, T.M. 167 (2004) 115

Demko, T.M., B.S. Currie and K.A. Nicoll, Regional paleoclimatic and stratigraphic implications of paleosols and fluvial/overbank architecture in the Morrison Formation (Upper Jurassic), Western Interior, USA 167 (2004) 115
Dunagan, S.P. and C.E. Turner, Regional paleohydrologic and paleoclimatic settings of wetland/lacustrine depositional systems in the Morrison Formation (Upper Jurassic), Western Interior, USA 167 (2004) 269

Eby, N., see Wandres, A.M. 167 (2004) 57
Engelmann, G.F., D.J. Chure and A.R. Fiorillo, The implications of a dry climate for the paleoecology of the fauna of the Upper Jurassic Morrison Formation 167 (2004) 297

Ferrandini, M., see André, J.-P. 167 (2004) 41
Fiorillo, A.R., see Engelmann, G.F. 167 (2004) 297

Garcia, F., see André, J.-P. 167 (2004) 41
Good, S.C., Paleoenvironmental and paleoclimatic significance of freshwater bivalves in the Upper Jurassic Morrison Formation, Western Interior, USA 167 (2004) 163

Hasiotis, S.T., Reconnaissance of Upper Jurassic Morrison Formation ichnofossils, Rocky Mountain Region, USA: paleoenvironmental, stratigraphic, and paleoclimatic significance of terrestrial and freshwater ichnocoenoses 167 (2004) 177

Ireland, T., see Wandres, A.M. 167 (2004) 57

Le Roux, J.P., Erratum to "Discussion of: Le Roux, J.P. (2001). A simple method to predict the threshold of particle transport under oscillatory waves" [Sediment. Geol. 143 (2001) 59–70]: reply to discussion 167 (2004) 109

Maas, R., see Wandres, A.M. 167 (2004) 57
Martin, J.-P.S., see André, J.-P. 167 (2004) 41
Moissette, P., see André, J.-P. 167 (2004) 41

Nicoll, K.A., see Demko, T.M. 167 (2004) 115

doi:10.1016/S0037-0738(04)00144-7

Parrish, J.T., F. Peterson and C.E. Turner, Jurassic "savannah"—plant taphonomy and climate of the Morrison Formation (Upper Jurassic, Western USA) 167 (2004) 137
Peterson, F., see Parrish, J.T. 167 (2004) 137
Peterson, F., see Turner, C.E. 167 (2004) 309

Quilty, P.G., see Amini, Z.Z. 167 (2004) 1

Turner, C.E., see Parrish, J.T. 167 (2004) 137
Turner, C.E., see Dunagan, S.P. 167 (2004) 269
Turner, C.E. and F. Peterson, Reconstruction of the Upper Jurassic Morrison Formation extinct ecosystem—a synthesis 167 (2004) 309

Uličný, D., A drying-upward aeolian system of the Bohdašín Formation (Early Triassic), Sudetes of NE Czech Republic: record of seasonality and long-term palaeoclimate change 167 (2004) 17

Wandres, A.M., J.D. Bradshaw, S. Weaver, R. Maas, T. Ireland and N. Eby, Provenance analysis using conglomerate clast lithologies: a case study from the Pahau terrane of New Zealand 167 (2004) 57
Weaver, S., see Wandres, A.M. 167 (2004) 57